REVISIONS					
ZONE	LTR	DESCRIPTION	PROJ OFCR	APVD	DATE
	-	INITIAL RELEASE PER DR-S-008-21	T. S.	T. S.	21-08-24

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

NOTES:

1. WORKMANSHIP, CONSTRUCTION, STITCHING AND QUALITY ASSURANCE PROVISIONS SHALL CONFORM TO DETAIL SPECIFICATION: SYSTEM SPECIFICATION FOR THE FAMILY OF IMPROVED LOAD BEARING EQUIPMENT.
2. UNLESS OTHERWISE SPECIFIED ALL FOLDS, HEMS, AND TURN UNDERS SHALL BE 3/8".
3. ALL STITCHING SHALL BE BACKSTITCHED NOT LESS THAN 1/2 INCH UNLESS TURNED UNDER BY A HEM OR HELD BY OTHER STITCHING.
4. ALL STITCHING TO BE 1/8 INCH FROM EDGE OR APART, UNLESS OTHERWISE SPECIFIED.
5. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE AS FOLLOWS:
   1/8 INCH OR MORE BUT LESS THAN 2 INCHES --- ±1/16
   2 INCHES OR MORE BUT LESS THAN 10 INCHES -- ±1/8
   10 INCHES OR MORE BUT LESS THAN 36 INCHES - ±1/4
   36 INCHES OR MORE ---------- ±3/8
6. SEAR ALL ENDS OF WEBBING AND TAPE TO PREVENT FRAYING. AVOID FORMING SHARP EDGES.
7. LOCATE FN 24, LABEL, APPROXIMATELY AS SHOWN.
8. BACKSTITCH ACROSS LENGTH WHERE WEBBING IS INSERTED.



VIEW F

FN'S 29, 15, 30, 11, & 3 NOT SHOWN



-1



2X DETAIL A
SCALE 3:1

DETAIL SHOWN FOR WEBBING PLACEMENT CLARITY



-1

SEE SEPARATE PARTS LIST

DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100

-	-	REVISION	
2	1	SHEET	

REVISION STATUS OF SHEETS

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TOLERANCES:
ANGLES
FRACTIONS
2 PLACE DIM
3 PLACE DIM
5.

DATE 21-08-24

DRAWN BY	K. VARNEY
CHECKED	K. VARNEY
PROJ OFCR	T. SCOTT
APPROVED	K. RYAN
APPROVAL DESIGN ACTIVITY	J. DUNN
APPLICABLE SPEC	-

2-6-1272	2-6-1272
NEXT ASSY	USED ON
APPLICATION	

U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056

SHOULDER HARNESS, SHORT, USMC PACK

SIZE	CAGE	DRAWING NO.
E	81337	2-6-1270

SCALE: 1/2 | UNIT WT. | SHEET 1 OF 2

DWG NO. 2-6-1270 REV J

REVISIONS					
ZONE	LTR	DESCRIPTION	PROJ OFCR	APVD	DATE
	-	INITIAL RELEASE PER DR-S-008-21	T. S.	T. S.	21-08-24

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.



SECTION A-A

1 2 F



SECTION B-B
2X

1 1 F



SECTION C-C
2X

1 1 F



SECTION E-E

1 6 F



SECTION J-J

1 7 D



SECTION D-D

1 6 D



SECTION H-H
2X

1 6 B



SECTION G-G
2X

1 7 E

DWG NO. 2-6-1270 SHT 2

DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

SIZE	CAGE	DRAWING NO.
E	81337	2-6-1270
SCALE: 1/1	UNIT WT.	SHEET 2

REVISIONS

REV	DESCRIPTION	PROJ OFCR	APVD	DATE
–	INITIAL RELEASE PER DR-S-008-21	T.S.	T.S.	21-08-24

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

1. REFER TO DETAIL SPECIFICATION, FAMILY OF IMPROVED LOAD BEARING EQUIPMENT, DTL-17001A0001

2. CUT LENGTHS ARE FOR REFERENCE ONLY.

DISTRIBUTION STATEMENT A

THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

REV LEVEL	–	–	–	–	–											
SHEET NO.	1	2	3	4	5											

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100

REVISION STATUS OF SHEETS

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
ANGLES ±
FRACTIONS ±
2 PLACE DIM ± NA
3 PLACE DIM ±

DATE 21-08-24

DRAWN BY	K. VARNEY
CHECKED	K. VARNEY
PROJ OFCR	T. SCOTT
APPROVED	K. RYAN

APPROVAL DESIGN ACTIVITY
J. DUNN

APPLICABLE SPEC
–

2-6-1272	2-6-1272
NEXT ASSY	USED ON
APPLICATION	

U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056

SHOULDER HARNESS, SHORT, USMC PACK

SIZE	CAGE	DRAWING NO.
A	81337	PL2-6-1270

SCALE: NONE | UNIT WT. | SHEET 1 OF 5

PARTS LIST	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056	CAGE 81337	PL2-6-1270	REVISION LTR – DATE 21-08-24
LIST TITLE SHOULDER HARNESS, SHORT, USMC PACK			APPROVED T. S. T. S.	REV AUTH NO. DR-S-008-21

SHEET 2 OF _____ SHEETS

FIND NO.	QTY RQD –1	CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
1	1		2-6-1273 1.		2-6-1273-11	UPPER FRONT	PARA 3.9.7.1 CLOTH, NYLON, 1000D
2	1		2-6-1273 1.		2-6-1273-7	LOWER FRONT OUTER	PARA 3.9.7.1 CLOTH, NYLON, 1000D
3	1		2-6-1273 1.		2-6-1273-10	BACK	PARA 3.9.7.1 CLOTH, NYLON, 1000D
4	1		2-6-1273 1.		2-6-1273-2	STRAP, UPPER LEFT	PARA 3.9.7.1 CLOTH, NYLON, 1000D
5	1		2-6-1273 1.		2-6-1273-1	STRAP, UPPER RIGHT	PARA 3.9.7.1 CLOTH, NYLON, 1000D
6	1		2-6-1273 1.		2-6-1273-3	STRAP, LOWER RIGHT	PARA 3.9.7.1 CLOTH, NYLON, 1000D
7	1		2-6-1273 1.		2-6-1273-4	STRAP, LOWER LEFT	PARA 3.9.7.1 CLOTH, NYLON, 1000D
8	3		1.			BUCKLE, SIDE RELEASE, FEMALE	PARA 3.9.1.2.16
9	2		2-6-1273 1.		2-6-1273-20	TOP BUCKLE WEBBING	PARA 3.9.4.1
10	AR		1.			TAPE, BINDING, 1" WIDE	PARA 3.9.4.8
11	14		1.			RING, OVAL	PARA 3.9.1.8.1

PARTS LIST	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056	CAGE 81337	PL2-6-1270	REVISION LTR – DATE 21-08-24
LIST TITLE SHOULDER HARNESS, SHORT, USMC PACK			APPROVED T. S. T. S.	REV AUTH NO. DR-S-008-21

SHEET 3 OF _____ SHEETS

FIND NO.	QTY RQD –1	CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
12	2		2-6-1273 1.		2-6-1273-21	STRAP REINFORCEMENT WEBBING	PARA 3.9.4.1
13	3		1.			BUCKLE, SIDE RELEASE, MALE	PARA 3.9.1.2.10
14	2		2-6-1273 1.		2-6-1273-24	STRAP BUCKLE WEBBING	PARA 3.9.4.1
15	2		2-6-1273 1.		2-6-1273-19	VERTICAL D-RING WEBBING,	PARA 3.9.4.1
16	2		1.			BUCKLE, QUICK RELEASE, METAL	PARA 3.9.1.2.8/9
17	2		1.			BUCKLE, NONSLIP DOUBLE BAR	PARA 3.9.1.2.1
18	2		1.			SNAP FASTENER	PARA 3.9.1.5.1
19	2		1.			BUCKLE, STERNUM	PARA 3.9.1.9.2
20	1		2-6-1273 1.		2-6-1273-25	LONG WRAP STRAP WEBBING	PARA 3.9.4.1
21	2		1.			TRI-GLIDE	PARA 3.9.1.9.1
22	2		2-6-1273 1.		2-6-1273-8	STRAP, YOKE SHANK	PARA 3.9.3.3
23	1		2-6-1273 1.		2-6-1273-12	LOWER FRONT INNER	PARA 3.9.7.2 CLOTH, NYLON, 500D
24	1	81337	2-6-0904	D	2-6-0904-1	IDENTIFICATION & INSTRUCTION LABEL	PARA 3.13.1

PARTS LIST	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056	CAGE 81337	PL2-6-1270	REVISION LTR – DATE 21-08-24
LIST TITLE SHOULDER HARNESS, SHORT, USMC PACK			APPROVED T. S. T. S.	REV AUTH NO. DR-S-008-21

FIND NO.	QTY RQD –1	CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
25			DELETED		DELETED		
26	4		2-6-1273 1.		2-6-1273-16	LOWER SIDE WEBBING	PARA 3.9.4.1
27	1		2-6-1273 1.		2-6-1273-6	STRAP, FOAM, LEFT	PARA 3.9.2.4
28	2		2-6-1273 1.		2-6-1273-17	SIDE RING WEBBING	PARA 3.9.4.1
29	2		2-6-1273 1.		2-6-1273-26	GUIDE WEBBING	PARA 3.9.4.1
30	4		2-6-1273 1.		2-6-1273-18	HORIZONTAL D-RING WEBBING	PARA 3.9.4.1
31	2		2-6-1273 1.		2-6-1273-15	BOTTOM WEBBING	PARA 3.9.4.1
32	1		2-6-1273 1.		2-6-1273-5	STRAP, FOAM, RIGHT	PARA 3.9.2.4
33	1		2-6-1273 1.		2-6-1273-13	LOWER FRONT FOAM, RIGHT	PARA 3.9.2.8
34	1		2-6-1273 1.		2-6-1273-23	WRAP STRAP WEBBING	PARA 3.9.4.1
35	AR		1.			THREAD, SIZE E	PARA 3.9.8.2
36	2		2-6-1273 1.		2-6-1273-22	BUCKLE, RELEASE STRAP	PARA 3.9.4.6
37	1		2-6-1273 1.		2-6-1273-14	LOWER FRONT FOAM, LEFT	PARA 3.9.2.8
38	1		2-6-1273 1.		2-6-1273-9	PLASTIC	PARA 3.9.3.3

PARTS LIST	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056	CAGE 81337	PL2-6-1270	REVISION LTR – DATE 21-08-24
LIST TITLE SHOULDER HARNESS, SHORT, USMC PACK			APPROVED T. S. T. S.	REV AUTH NO. DR-S-008-21

FIND NO.	QTY RQD –1	CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
39	2		1.			WEBBING, 1 1/2" WIDE, CUT LENGTH 15 1/4" 2.	PARA 3.9.4.2
40	2		1.			STIFFENER, FIBERGLASS, CUT LENGTH 10 3/4" 2.	PARA 3.9.3.6
41	2		1.			WEBBING, 1" WIDE, CUT LENGTH 35" 2.	PARA 3.9.4.1
42	2		1.			WEBBING, 1 1/2" WIDE, CUT LENGTH 3" 2.	PARA 3.9.4.2
43	AR		1.			THREAD, SIZE F	PARA 3.9.8.1
44	1		1.			STIFFENER, FIBERGLASS , CUT LENGTH 8 1/2" 2.	PARA 3.9.3.6
45	1		1.			WEBBING, 1 1/2" WIDE, CUT LENGTH 13" 2.	PARA 3.9.4.2

NOTES:

1. WORKMANSHIP, CONSTRUCTION, STITCHING AND QUALITY ASSURANCE PROVISIONS SHALL CONFORM TO PURCHASE DESCRIPTION, FAMILY OF IMPROVED. LOAD BEARING EQUIPMENT DATED 10 MAY 2011.
2. UNLESS OTHERWISE SPECIFIED ALL FOLDS, HEMS, AND TURN UNDERS SHALL BE 3/8".
3. ALL STITCHING SHALL BE BACKSTITCHED NOT LESS THAN 1/2 INCH UNLESS TURNED UNDER BY A HEM OR HELD BY OTHER STITCHING.
4. ALL STITCHING TO BE 1/8 INCH FROM EDGE OR APART, UNLESS OTHERWISE SPECIFIED.
5. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE AS FOLLOWS:
   1/8 INCH OR MORE BUT LESS THAN 2 INCHES --- ±1/16
   2 INCHES OR MORE BUT LESS THAN 10 INCHES -- ±1/8
   10 INCHES OR MORE BUT LESS THAN 36 INCHES - ±1/4
   36 INCHES OR MORE ---------- ±3/8
6. SEAR ALL ENDS OF WEBBING AND TAPE TO PREVENT FRAYING. AVOID FORMING SHARP EDGES.

REVISIONS					
ZONE	LTR	DESCRIPTION	PROJ OFCR	APVD	DATE
	-	INITIAL RELEASE PER DR-S-008-21	T. S.	T. S.	21-08-24

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.



-1



SEE SEPARATE PARTS LIST

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: ANGLES FRACTIONS 2 PLACE DIM 3 PLACE DIM 5.	DATE 21-08-24	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056
		DRAWN BY K. VARNEY	SHOULDER HARNESS ASSEMBLY, SHORT, MARINE PACK
- - REVISION		CHECKED K. VARNEY	
		PROJ OFCR T. SCOTT	
2 1 SHEET		APPROVED K. RYAN	
		APPROVAL DESIGN ACTIVITY J. DUNN	SIZE E / CAGE 81337 / DRAWING NO. 2-6-1272
REVISION STATUS OF SHEETS	FINAL / FINAL	NEXT ASSY / USED ON	APPLICABLE SPEC -
	APPLICATION		SCALE 1/2 / UNIT WT. / SHEET 1 OF 2

DWG NO. 2-6-1272 SHT 1

DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

REVISIONS					
ZONE	LTR	DESCRIPTION	PROJ OFCR	APVD	DATE
	-	INITIAL RELEASE PER DR-S-008-21	T. S.	T. S.	21-08-24

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.



SECTION A-A
2X
SHOWING ALTERNATE
CONFIGURATION FOR SIZE REGULAR
(FN 2 MOVED UP)

1 2 F



SECTION B-B
2X

1 2 F

DWG NO. 2-6-1272 SHT 2

DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

SIZE	CAGE	DRAWING NO.
E	81337	2-6-1272
SCALE: 1/1	UNIT WT.	SHEET 2

REVISIONS

REV	DESCRIPTION	PROJ OFCR	APVD	DATE
–	INITIAL RELEASE PER DR-S-008-21	T.S.	T.S.	21-08-24

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

1. REFER TO DETAIL SPECIFICATION, FAMILY OF IMPROVED LOAD BEARING EQUIPMENT, DTL-17001A0001

DISTRIBUTION STATEMENT A

THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

REV LEVEL	–	–														
SHEET NO.	1	2														

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100

REVISION STATUS OF SHEETS

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
ANGLES ±
FRACTIONS ±
2 PLACE DIM ± NA
3 PLACE DIM ±

DATE 21-08-24

DRAWN BY	K. VARNEY
CHECKED	K. VARNEY
PROJ OFCR	T. SCOTT
APPROVED	K. RYAN
APPROVAL DESIGN ACTIVITY	J. DUNN
APPLICABLE SPEC	–

FINAL	FINAL
NEXT ASSY	USED ON
APPLICATION	

U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056

SHOULDER HARNESS ASSEMBLY, SHORT, USMC PACK

SIZE	CAGE	DRAWING NO.
A	81337	PL2-6-1272

SCALE: NONE | UNIT WT. | SHEET 1 OF 2

PARTS LIST	U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER, 15 GENERAL GREENE AVE., NATICK, MA 01760-5056	CAGE 81337	PL2-6-1272	REVISION LTR – DATE 21-08-24
LIST TITLE SHOULDER HARNESS ASSEMBLY, SHORT, USMC PACK			APPROVED T. S. T. S.	REV AUTH NO. DR-S-008-21

FIND NO.	QTY RQD –1	CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
1	1		2-6-1270 △1.		2-6-1270-1	SHOULDER HARNESS, SHORT, USMC PACK	
2	1		2-6-0805 △1.		2-6-0805-1	FRAME, USMC PACK	PARA 3.3.1.1

NOTES:

1. REQUESTS FOR ACCUMARK PATTERN FILES SHALL BE DIRECTED TO:

   NAVY CLOTHING & TEXTILE RESEARCH FACILITY (NCTRS)
   BUILDING 7
   US ARMY COMBAT CAPABILITIES DEVELOPMENT
   COMMAND SOLDIER CENTER,
   15 GENERAL GREENE AVE,
   NATICK, MA 01760-5056

REVISIONS				
LTR	DESCRIPTION	PROJ OFCR	APVD	DATE
-	INITIAL RELEASE PER DR-S-008-21	T. S.	T. S.	21-08-25

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION
2-6-1273-1	STRAP, UPPER RIGHT
2-6-1273-2	STRAP, UPPER LEFT
2-6-1273-3	STRAP, LOWER RIGHT
2-6-1273-4	STRAP, LOWER LEFT
2-6-1273-5	STRAP, FOAM, RIGHT
2-6-1273-6	STRAP, FOAM, LEFT
2-6-1273-7	LOWER FRONT OUTER
2-6-1273-8	STRAP, YOKE SHANK
2-6-1273-9	PLASTIC
2-6-1273-10	BACK
2-6-1273-11	UPPER FRONT
2-6-1273-12	LOWER FRONT INNER
2-6-1273-13	LOWER FRONT FOAM, RIGHT
2-6-1273-14	LOWER FRONT FOAM, LEFT
2-6-1273-15	BOTTOM WEBBING
2-6-1273-16	LOWER SIDE WEBBING
2-6-1273-17	SIDE RING WEBBING
2-6-1273-18	HORIZONTAL D-RING WEBBING
2-6-1273-19	VERTICAL D-RING WEBBING
2-6-1273-20	TOP BUCKLE WEBBING
2-6-1273-21	STRAP REINFORCEMENT WEBBING
2-6-1273-22	BUCKLE RELEASE STRAP
2-6-1273-23	WRAP STRAP WEBBING
2-6-1273-24	STRAP BUCKLE WEBBING
2-6-1273-25	LONG WRAP STRAP WEBBING
2-6-1273-26	GUIDE WEBBING

DISTRIBUTION STATEMENT A

THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

2-6-1270	2-6-1272
NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES:
ANGLES ±
FRACTIONS ±
2 PLACE DIM ±
3 PLACE DIM ±

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100

DATE	21-08-25
DRAWN BY	K. VARNEY
CHECKED	K. VARNEY
PROJECT OFFICER	T. SCOTT
APPROVED	K. RYAN
APPVL DESIGN ACTIVITY	-
APPLICABLE SPEC	-

U.S. ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND SOLDIER CENTER,
15 GENERAL GREENE AVE., NATICK, MA 01760-5056

PATTERN LIST, SHORT SHOULDER HARNESS

SIZE	CAGE	DRAWING NO.
B	81337	2-6-1273

SCALE N/A | UNIT WT. | SHEET 1 OF 1

NOTES:

1. WORKMANSHIP, CONSTRUCTION, STITCHING AND QUALITY ASSURANCE PROVISIONS SHALL CONFORM TO DETAIL SPECIFICATION: SYSTEM SPECIFICATION FOR THE FAMILY OF IMPROVED LOAD BEARING EQUIPMENT.
2. MATERIAL: LABEL, TYPE VI, CLASS 15 PER MIL-DTL-32075, IAW PARA 3.13.1, OF DETAIL SPECIFICATION: SSFILBE.
3. REFER TO SPECIFICATION OR CONTRACT FOR CORRECT TITLE AND OTHER NOMENCLATURE.
4. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE AS FOLLOWS:
   1/8 INCH OR MORE BUT LESS THAN 2 INCHES --- ±1/16
   2 INCHES OR MORE BUT LESS THAN 10 INCHES -- ±1/8
   10 INCHES OR MORE BUT LESS THAN 36 INCHES - ±1/4
   36 INCHES OR MORE ---------- ±3/8
5. 6X 1/16 HIGH TEXT LOCATED APPROXIMATELY AS SHOWN.
6. SEAR ALL EDGES TO PREVENT FRAYING.
7. DELETED
8. UNLESS OTHERWISE SPECIFIED, LABELS SHALL BE ATTACHED USING SIZE E THREAD, IAW PARA 3.9.8.2 OF DETAIL SPECIFICATION: SSFILBE.

REVISIONS					
ZONE	LTR	DESCRIPTION	PROJ OFCR	APVD	DATE
	-	INITIAL RELEASE PER DR-S-010-11	T. S.	T. S.	11-05-20
	A	REVISED PER DR-S-022-11	T. S.	T. S.	11-10-11
	B	REVISED PER DR-S-028-12 EH	T. S.	T. S.	12/10/01
	C	REVISED PER DR-S-005-16	T. S.	T. S.	16-03-25
	D	REVISED PER DR-S-009-17	T. S.	T. S.	17-07-05
	E	REVISED PER DR-S-007-18	T. S.	T. S.	18-05-15

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.



-1

DWG NO. 2-6-0904 SH 1

		2-6-0906	2-6-0906	2-6-0891	2-6-0891	PROJ OFCR	T. SCOTT
		2-6-0894	2-6-0894	2-6-0890	2-6-0890	APPROVED	K. RYAN
2-6-0965	2-6-0965	2-6-0893	2-6-0893	2-6-0889	2-6-0889	APPROVAL DESIGN ACTIVITY	
NEXT ASSY	USED ON	2-6-0892	2-6-0892	2-6-0887	2-6-0887	J. CONNOR	
INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100		NEXT ASSY	USED ON	NEXT ASSY	USED ON	APPLICABLE SPEC	
		APPLICATION		APPLICATION			

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
ANGLES
FRACTIONS
2 PLACE DIM
3 PLACE DIM
4.

DATE 11-06-14

DRAWN BY	E. TAMSKY
CHECKED	K. VARNEY

U.S. ARMY NATICK SOLDIER RESEARCH, DEVELOPMENT & ENGINEERING CENTER
KANSAS STREET, NATICK MA. 01760-5056

IDENTIFICATION & INSTRUCTION LABEL

SIZE	CAGE	DRAWING NO.
C	81337	2-6-0904

SCALE: 2/1 | UNIT WT. | SHEET 1 OF 1

DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.