

4

3

2

1

REVISIONS				
ZONE LTR	DESCRIPTION	PRD J DFCR	APVD	DATE
-	INITIAL RELEASE PER DR-S-010-11	T. S.	T. S.	11-05-20
A	REVISED PER DR-S-022-11	T. S.	T. S.	11-10-11
B	REVISED PER DR-S-028-12	EH	T. S.	12/10/01


THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

- NOTES:
1. WORKMANSHIP, CONSTRUCTION, STITCHING AND QUALITY ASSURANCE PROVISIONS SHALL CONFORM TO PERFORMANCE DESCRIPTION FILBE PD dtd. 10 MAY 2011.
 2. MATERIAL: LABEL, TYPE VI, CLASS 15 PER MIL-DTL-32075, IAW PARA 3.25, FILBE PD dtd. 10 MAY 2011
 3. REFER TO SPECIFICATION OR CONTRACT FOR CORRECT TITLE AND OTHER NOMENCLATURE.

4. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE AS FOLLOWS:
 1/8 INCH OR MORE BUT LESS THAN 2 INCHES --- ±1/16
 2 INCHES OR MORE BUT LESS THAN 10 INCHES -- ±1/8
 10 INCHES OR MORE BUT LESS THAN 36 INCHES - ±1/4
 36 INCHES OR MORE ----- ±3/8


5. 6X 1/16 HIGH TEXT LOCATED APPROXIMATELY AS SHOWN.
 6. SEAR ALL EDGES TO PREVENT FRAYING.

7. ADD QR CODE. LOCATE APPROXIMATELY AS SHOWN.



(-1)

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES:
 ANGLES
 FRACTIONS
 2 PLACE DIM
 3 PLACE DIM



DATE 11-06-14

DRAWN BY E. TAMSKY
 CHECKED K. VARNEY
 PRD J DFCR T. SCOTT

APPROVED K. RYAN
 APPROVAL DESIGN ACTIVITY
 J. CONNOR

APPLICABLE SPEC

IDENTIFICATION &
 INSTRUCTION LABEL

U.S. ARMY NATICK SOLDIER
 RESEARCH, DEVELOPMENT & ENGINEERING CENTER
 KANSAS STREET, NATICK MA. 01760-5056

SIZE/CAGE DRAWING NO.

C 81337 2-6-0904

SCALE: 2/1 UNIT WT. SHEET 1 OF 1

DISTRIBUTION STATEMENT A
 THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

2-6-0965	2-6-0965	2-6-0906	2-6-0906	2-6-0906	2-6-0906
2-6-0894	2-6-0894	2-6-0894	2-6-0894	2-6-0890	2-6-0890
2-6-0893	2-6-0893	2-6-0893	2-6-0893	2-6-0889	2-6-0889
2-6-0892	2-6-0892	2-6-0892	2-6-0892	2-6-0887	2-6-0887
NEXT ASSY	USED DN	NEXT ASSY	USED DN	NEXT ASSY	USED DN
INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100		APPLICATION		APPLICATION	

4

3

2

1

A

4

3

2

1

NOTES:

- 1. REQUESTS FOR ACCUMARK PATTERN FILES SHALL BE DIRECTED TO:

NAVY CLOTHING & TEXTILE RESEARCH FACILITY (NCTRF)
 BUILDING 7
 US ARMY NATICK SOLDIER RESEARCH,
 DEVELOPMENT & ENGINEERING CENTER
 KANSAS STREET, NATICK, MA 01760

REVISIONS				
ZONE/LTR	DESCRIPTION	PRD DFCR	APVD	DATE
-	INITIAL RELEASE PER DR-S-028-12	T. S.	T. S.	12/10/01

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

SMALL PATTERNS, SUB BELT

PART OR IDENTIFYING NUMBER, SIZE SMALL	NOMENCLATURE OR DESCRIPTION
2-6-0964-1	TOP
2-6-0964-2	BASE
2-6-0964-3	BASE MESH
2-6-0964-4	FDAM
2-6-0964-5	PLASTIC
2-6-0964-6	OVAL RING HOLDER
2-6-0964-7	WEBBING
2-6-0964-8	STRAP RETENTION LOOP
2-6-0964-9	STRAP RETENTION HOOK

MEDIUM PATTERNS, SUB BELT

PART OR IDENTIFYING NUMBER, SIZE MEDIUM	NOMENCLATURE OR DESCRIPTION
2-6-0964-11	TOP
2-6-0964-12	BASE
2-6-0964-13	BASE MESH
2-6-0964-14	FDAM
2-6-0964-15	PLASTIC
2-6-0964-6	OVAL RING HOLDER
2-6-0964-17	WEBBING
2-6-0964-8	STRAP RETENTION LOOP
2-6-0964-9	STRAP RETENTION HOOK

LARGE PATTERNS, SUB BELT

PART OR IDENTIFYING NUMBER, SIZE LARGE	NOMENCLATURE OR DESCRIPTION
2-6-0964-21	TOP
2-6-0964-22	BASE
2-6-0964-23	BASE MESH
2-6-0964-24	FDAM
2-6-0964-25	PLASTIC
2-6-0964-6	OVAL RING HOLDER
2-6-0964-27	WEBBING
2-6-0964-8	STRAP RETENTION LOOP
2-6-0964-9	STRAP RETENTION HOOK

PATTERNS, WEBBING, SUSPENDER

PART OR IDENTIFYING NUMBER, SIZE SMALL	NOMENCLATURE OR DESCRIPTION
2-6-0964-30	WEBBING, 2", PARA 3.12.4.3, SUSPENDER
2-6-0964-31	WEBBING, 1", PARA 3.12.4.1, SUS. UPPER
2-6-0964-32	WEBBING, 1", PARA 3.12.4.1, SUS. LOWER
2-6-0964-33	WEBBING, 1", PARA 3.12.4.1, BACK HORIZONTAL
2-6-0964-34	WEBBING, 1", PARA 3.12.4.1, BACK HORIZONTAL
2-6-0964-35	WEBBING, 1", PARA 3.12.4.1, BACK HORIZONTAL

PATTERN LIST, SUB-BELT

U.S. ARMY NATICK SOLDIER RESEARCH, DEVELOPMENT & ENGINEERING CENTER
 KANSAS STREET, NATICK MA, 01760-5056

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES

TOLERANCES:

ANGLES	±	—
FRACTIONS	±	—
2 PLACE DIM	±	—
3 PLACE DIM	±	—

DATE 12/08/30

DRAWN BY	E. HALSTEAD
CHECKED	F. KERRIGAN
PRD DFCR	T. SCOTT
APPROVED	T. SCOTT

APPROVAL DESIGN ACTIVITY

DISTRIBUTION STATEMENT A
 THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100

2-6-0965	2-6-0965
NEXT ASSY	USED ON
APPLICATION	

SIZE/CAGE	DRAWING NO.
C 81337	2-6-0964
SCALE: N/A	UNIT WT.
	SHEET 1 OF 1

4

3

2

1

DWG NO 2-6-0964

1

A


↓

REVISIONS


REV	DESCRIPTION	PROJ OFCR	APVD	DATE
-	INITIAL RELEASE PER DR-S-028-12	T.S.	T.S.	12/10/01

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

-1, SMALL
 -2, MEDIUM
 -3, LARGE



1. REFER TO PURCHASE DESCRIPTION, FAMILY OF IMPROVED LOAD BEARING EQUIPMENT, DATED 01 MAY 2012.



2. CUT LENGTHS ARE FOR REFERENCE ONLY

DISTRIBUTION STATEMENT A
 THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

REV LEVEL	-	-	-	-												
SHEET NO.	1	2	3	4												

INTERPRET THIS DRAWING IN ACCORDANCE WITH ASME Y14.100 UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: ANGLES ± - FRACTIONS ± - 2 PLACE DIM ± - 3 PLACE DIM ± -		REVISION STATUS OF SHEETS												
		DATE <u>12/08/29</u>					U.S. ARMY NATICK SOLDIER RESEARCH, DEVELOPMENT & ENGINEERING CENTER KANSAS STREET, NATICK MA. 01760-5056							
		DRAWN BY		E. HALSTEAD			SUB-BELT ASSEMBLY							
		CHECKED		F. KERRIGAN										
		PROJ OFCR		T. SCOTT										
		APPROVED		T. SCOTT										
		APPROVAL DESIGN ACTIVITY					SIZE	CAGE	DRAWING NO.					
		T. SCOTT					A	81337	PL 2-6-0965					
NEXT ASSY		USED ON		APPLICABLE SPEC			SCALE: N/A		UNIT WT.		SHEET 1 OF 4			
APPLICATION					-									



PARTS LIST

U.S. ARMY NATICK SOLDIER RESEARCH, DEVELOPMENT & ENGINEERING CENTER
KANSAS STREET, NATICK MA. 01760-5056













CAGE 81337

PL2-6-0965

REVISION DATE 12/10/01
LTR - REV AUTH NO. DR-S-028-12

LIST TITLE SUB-BELT ASSEMBLY

APPROVED T. S. T. S.
SHEET 2 OF SHEETS

FIND NO.	QTY ROD		CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART DR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
	-1	-2						
1	1			2-6-0964 		2-6-0964-1	TOP (SMALL)	PARA 3.12.7.2 CLOTH NYLON
		1		2-6-0964 		2-6-0964-11	TOP (MEDIUM)	PARA 3.12.7.2 CLOTH NYLON
			1	2-6-0964 		2-6-0964-21	TOP (LARGE)	PARA 3.12.7.2 CLOTH NYLON
2	1			2-6-0964 		2-6-0964-2	BASE (SMALL)	PARA 3.12.7.2 CLOTH NYLON
		1		2-6-0964 		2-6-0964-12	BASE (SMALL)	PARA 3.12.7.2 CLOTH NYLON
			1	2-6-0964 		2-6-0964-22	BASE (SMALL)	PARA 3.12.7.2 CLOTH NYLON
3	1			2-6-0964 		2-6-0964-3	MESH BASE (SMALL)	PARA 3.12.7.6 CLOTH NYLON
		1		2-6-0964 		2-6-0964-13	MESH BASE (SMALL)	PARA 3.12.7.6 CLOTH NYLON
			1	2-6-0964 		2-6-0964-23	MESH BASE (SMALL)	PARA 3.12.7.6 CLOTH NYLON
4	1			2-6-0964 		2-6-0964-4	FDAM (SMALL)	PARA 3.12.2.3 FDAM
		1		2-6-0964 		2-6-0964-14	FDAM (SMALL)	PARA 3.12.2.3 FDAM
			1	2-6-0964 		2-6-0964-24	FDAM (SMALL)	PARA 3.12.2.3 FDAM

PARTS LIST

U.S. ARMY NATICK SOLDIER
RESEARCH, DEVELOPMENT & ENGINEERING CENTER
KANSAS STREET, NATICK MA. 01760-5056

CAGE
81337

PL2-6-0965

REVISION
DATE 12/10/01

LIST TITLE
SUB-BELT ASSEMBLY

APPROVED
T. S.
T. S.

LTR -
REV AUTH NO.
DR-S-028-12

SHEET 3
OF SHEETS

FIND NO.	QTY ROD		CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
	-1	-2						
5	1			2-6-0964 1.1		2-6-0964-5	BELT, PLASTIC (SMALL)	PARA 3.12.3.1 STIFFENER, PLASTIC
		1		2-6-0964 1.1		2-6-0964-15	BELT, PLASTIC (MEDIUM)	PARA 3.12.3.1 STIFFENER, PLASTIC
			1	2-6-0964 1.1		2-6-0964-25	BELT, PLASTIC (LARGE)	PARA 3.12.3.1 STIFFENER, PLASTIC
6	AR	AR	AR	1.1		2-6-0904-1	TAPE BINDING, 1"	PARA 3.12.4.5
7	1	1	1	2-6-0904 1.1		2-6-0904-1	IDENTIFICATION & INSTRUCTION LABEL	PARA 3.25
8	3			1.1		2-6-0964-33	WEBBING, 1 INCH, CUT LENGTH 27", 1.1	PARA 3.12.4.1
		3		1.1		2-6-0964-34	WEBBING, 1 INCH, CUT LENGTH 31", 1.1	PARA 3.12.4.1
			3	1.1		2-6-0964-35	WEBBING, 1 INCH 37", 1.1	PARA 3.12.4.1
9	5	5	5	2-6-0964 1.1		2-6-0964-6	DVAL RING HOLDER	PARA 3.12.4.1
10	5	5	5	1.1		2-6-0964-9	RING, DVAL	PARA 3.12.1.8.1
11	2	2	2	2-6-0964 1.1		2-6-0964-9	STRAP RETENTION HOOK, CUT LENGTH 3 1/2", 1.1	PARA 3.12.6
12	2	2	2	2-6-0964 1.1		2-6-0964-8	STRAP RETENTION LOOP CUT LENGTH 3 1/2", 1.1	PARA 3.12.6 FASTENER TAPPE, 1 INCH

PARTS LIST

U.S. ARMY NATICK SOLDIER
RESEARCH, DEVELOPMENT & ENGINEERING CENTER
KANSAS STREET, NATICK MA. 01760-5056

CAGE
81337

PL2-6-0965

REVISION

DATE 12/10/01

LIST TITLE
SUB-BELT ASSEMBLYAPPROVED
T. S.
T. S.LTR -
REV AUTH NO.
DR-S-028-12SHEET 4
OF SHEETS


FIND NO.	QTY ROD		CAGE	DRAWING OR DOCUMENT NUMBER	DWG SIZE	PART OR IDENTIFYING NUMBER	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION
	-1	-2						
13	1			2-6-0964 1.1.		2-6-0964-7	WEBBING, 2 INCH, CUT LENGTH 59", 1.1.	PARA 3.12.4.3 WEBBING, 2"
		1		2-6-0964 1.1.		2-6-0964-17	WEBBING, 2 INCH, CUT LENGTH 65", 1.1.	PARA 3.12.4.3 WEBBING, 2"
				2-6-0964 1.1.		2-6-0964-27	WEBBING, 2 INCH, CUT LENGTH 71", 1.1.	PARA 3.12.4.3 WEBBING, 2"
14	1	1	1	1.1.			BUCKLE, SIDE RELEASE, 2 INCH	PARA 3.12.1.2.7 BUCKLE, 2"
15	AR	AR	AR	1.1.			THREAD, SIZE F	PARA 3.12.8.1 THREAD
16	AR	AR	AR	1.1.			THREAD, SIZE E	PARA 3.12.8.2 THREAD
17	1	1	1	2-6-0964 1.1.		2-6-0964-30	WEBBING, 2 INCH, CUT LENGTH 34 1/2", 1.1.	PARA 3.12.4.3 WEBBING, 2"
18	1	1	1	2-6-0964 1.1.		2-6-0964-31	WEBBING, 1 INCH, CUT LENGTH 23 1/2", 1.1.	PARA 3.12.4.1 WEBBING, 1"
19	2	2	2	2-6-0964 1.1.		2-6-0964-32	WEBBING, 1 INCH, CUT LENGTH 18", 1.1.	PARA 3.12.4.1 WEBBING, 1"
20	3	3	3	1.1.			DVAL SLIDE, ROUNDED (1 INCH) 2 INCH	PARA 3.12.1.7.1

ZONE/REV	DESCRIPTION	PROJ. OR GR.	APP'D	DATE
-	INITIAL RELEASE PER DR-S-028-12	T. S.	T. S.	12/20/01

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.

NOTES:



1. WORKMANSHIP, CONSTRUCTION, STITCHING AND QUALITY ASSURANCE PROVISIONS SHALL CONFORM TO PURCHASE DESCRIPTION, FAMILY OF IMPROVED LOAD BEARING EQUIPMENT DATED 01 MAY 2012.
2. UNLESS OTHERWISE SPECIFIED ALL FOLDS, HEMS AND TURN UNDERS SHALL BE 3/8".
3. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE AS FOLLOWS:
 1/8 INCH OR MORE BUT LESS THAN 2 INCHES ---- ±1/16
 2 INCHES OR MORE BUT LESS THAN 10 INCHES --- ±1/8
 10 INCHES OR MORE BUT LESS THAN 36 INCHES - ±1/4
 36 INCHES OR MORE ----- ±3/8
4. ALL STITCHING SHALL BE BACKSTITCHED NOT LESS THAN 1/2 INCH UNLESS TURNED UNDER BY A HEM OR HELD BY OTHER STITCHING.
5. ALL STITCHING TO BE 1/8 INCH FROM EDGE OR SPACED 1/8 INCH APART, UNLESS OTHERWISE SPECIFIED.
6. SEAR ALL ENDS OF CORD, WEBBING AND TAPE TO PREVENT FRAYING. AVOID FORMING SHARP EDGES.



OUTSIDE
-2 SHOWN

TABLE I

PART NO.	*A*	*B*	*C*
2-6-0965-1	(31)	(25)	(3)
2-6-0965-2	(37)	(31)	(3)
2-6-0965-3	(43)	(37)	(3)



INSIDE
-2 SHOWN

SEE SEPARATE PARTS LIST

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DATE	12/08/21
FRACTIONS	DRAWN BY	E. HAUSTEAD
DECIMALS	CHECKED	E. KERRIGAN
3 PLACE DIM	PROJ. OR GR. I.	SCOTT
APPROVED	APPROVED	RESISTIVITY
APPROVED	APPROVED	APPLICABLE SPEC
APPLICABLE SPEC	APPLICABLE SPEC	APPLICABLE SPEC

U.S. ARMY NATICK SOLDIER RESEARCH, DEVELOPMENT & ENGINEERING CENTER
KANSAS STREET, NATICK MA, 01760-5056

SUB-BELT ASSEMBLY

SIZE/SCALE: E 81337 2-6-0965
DRAWING NO. 2-6-0965

REVISION STATUS OF SHEETS


REV	DATE	DESCRIPTION
1		
2		

INTERPRET THIS DRAWING IN ASSOCIATION WITH DRAWING 2-6-0965


DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

ZONE/REV	DESCRIPTION	PROJ. DEGR.	APP'D	DATE
-	INITIAL RELEASE PER DR-S-028-12	T. S.	T. S.	12/20/01


THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.



SECTION A-A
SCALE: 1/1
-2 SHOWN
SIMILAR CONSTRUCTION
THROUGHOUT ASSEMBLY
17




SECTION B-B
SCALE: 1/1
SIMILAR CONSTRUCTION
THROUGHOUT ASSEMBLY
15



SECTION C-C
SCALE: 1/1
2X
12

REVISONS		PROJ. DE GR.	ABVD	DATE
1	INITIAL RELEASE PER DR-S-028-12	T. S.	T. S.	12/10/01

THIS DRAWING HAS BEEN GENERATED AND IS MAINTAINED BY A CAD SYSTEM. CHANGES SHALL ONLY BE INCORPORATED AS DIRECTED BY THE DESIGN ACTIVITY.



SUSPENDER ASSEMBLY
DETAIL D

DISTRIBUTION STATEMENT A
THIS DOCUMENT IS APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

SIZE/CAGE DRAWING NO.
E 81337 2-6-0965
SCALE 1/1 UNIT WT. SHEET 3

DRW. NO. 2-6-0965
SHEET 3